

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

530030400 PASTILLE LINGE CONCENTREE ECOLABEL (PASTLINCONCENTREE) Product no. SSP-1032 (UZS-1032)

REACH registration number

Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture Washing product Uses advised against

The full text of any mentioned and identified use categories are given in section 16

1.3. Details of the supplier of the safety data sheet

Company and address PRODIFA ZAE Les Dix Muids 59770 MARLY FRANCE Tlf.: +33 (0)3 27 28 19 19 Contact person

info@prodifa.com

E-mail

info@prodifa.com SDS date 2019-02-18

SDS Version

2.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Eye Irrit. 2; H319 See full text of H-phrases in section 2.2. 2.2. Label elements



Safety statement(s)	
General	If medical advice is needed, have product container or label at hand. (P101). Keep out of reach of children. (P102).
Prevention	-
Response	If eye irritation persists: Get medical advice/attention. (P337+P313). IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. (P301+P330+P331). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338).
Storage	•
Disposal	-
Not applicable 2.3. Other hazards Not applicable Additional labelling Not applicable Additional warnings	ces primarily responsible for the major health hazards
CLP classified by the	e calculation method
VOC	
Not applicable	

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances/Mixtures

NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION:	Sodium carbonate peroxide CAS-no: 15630-89-4 EC-no: 239-707-6 REACH-no: - Index-no: - 5 - <10% Ox. Sol 3, Acute Tox. 4, Eye Dam. 1 H272, H302, H318
NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION:	Fatty Acid Metyl Ester, ethoxylated CAS-no: 158318-69-5 EC-no: - REACH-no: -polymer Index-no: - 5 - <10% Eye Irrit. 2 H319
NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION:	Sodium silicate CAS-no: 1344-09-8 EC-no: 215-687-4 REACH-no: 01-2119448725-31 Index-no: - 2.5 - <5% STOT SE 3, Skin Irrit. 2, Eye Irrit. 2 H315, H319, H335
NAME: IDENTIFICATION NOS.: CONTENT: CLP CLASSIFICATION:	Alcohols,C12-18, ethoxylated CAS-no: 68213-23-0 EC-no: 500-201-8 REACH-no: - Index-no: - 1 - <2.5% Acute Tox. 4, Eye Dam. 1 H302, H318

(*) See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

ATEmix(inhale, vapour) > 20 ATEmix(dermal) > 2000 ATEmix(oral) > 2000 Eye Cat. 2 Sum = Sum(Ci/S(G)CLi) = 2,9712 - 4,4568 Skin Cat. 2 Sum = Sum(Ci/S(G)CLi) = 0,224 - 0,336

Detergent:

5 - 15%: ZEOLITES, OXYGEN-BASED BLEACHING AGENTS, NON-IONIC SURFACTANTS, POLYCARBOXYLATES < 5%: SOAP, PERFUMES, ENZYMES

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service (dial 111, 24 h service).

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Bring the person into fresh air and stay with him/her.

Skin contact

Immediately remove contaminated clothing and shoes. Ensure that skin, which has been exposed to the material, is washed thoroughly with soap and water. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact

Remove contact lenses. Flush eyes immediately with plenty of water or isotonic water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure to flush under the upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

Ingestion

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

4.2. Most important symptoms and effects, both acute and delayed

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned: Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous catabolic substances are produced. These are: Carbon oxides. Some metal oxides. Fire will result in dense black smoke. Exposure to combustion products may harm your health. Fire fighters should wear appropriate protection equipment. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

No specific requirements.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures No specific requirements.
- 6.2. Environmental precautions No specific requirements.
- 6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. See section on 'Exposure controls/personal protection' for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Storage temperature

No data available.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

OEL

No substances are listed in The Control of Substances Hazardous to Health Regulations with an occupational exposure limit. **DNEL / PNEC**

DNEL (Sodium silicate): 5.61 mg/m3 Exposure: Inhalation Duration of Exposure: Long term – Systemic effects - Workers

DNEL (Sodium silicate): 1.59 mg/kg bw/day Exposure: Dermal Duration of Exposure: Long term – Systemic effects - Workers

DNEL (Sodium silicate): 0.80 mg/kg bw/day Exposure: Oral Duration of Exposure: Long term – Systemic effects - General population

DNEL (Sodium silicate): 1,38 mg/m3 Exposure: Inhalation Duration of Exposure: Long term – Systemic effects - General population

DNEL (Sodium silicate): 0.80 mg/kg bw/da Exposure: Dermal Duration of Exposure: Long term – Systemic effects - General population

DNEL (Sodium carbonate peroxide): 12,8 mg/cm2 Exposure: Dermal Duration of Exposure: Short term – Local effects - Workers

DNEL (Sodium carbonate peroxide): 5 mg/m3 Exposure: Inhalation Duration of Exposure: Long term – Local effects - Workers

DNEL (Sodium carbonate peroxide): 6,4 mg/cm2 Exposure: Dermal Duration of Exposure: Short term – Local effects - General population

PNEC (Sodium silicate): 7,5 mg/l Exposure: Freshwater

PNEC (Sodium silicate): 1 mg/l Exposure: Marine water

PNEC (Sodium silicate): 348 mg/l

Exposure: Sewage Treatment Plant

8.2. Exposure controls

Control is unnecessary if the product is used as intended.

General recommendations

Observe general occupational hygiene standards.

Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment



Generally

Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements.

Skin protection

Dedicated work clothing should be worn.

Hand protection

Wear protective gloves. The specific work situation is unknown. Contact the suppliers of the gloves for further advice regarding the appropriate glove type. Please note that elastic gloves stretch when used. The thickness of the gloves, and therefore their penetration time, will be reduced. Moreover, the temperature of the glove in use is about 35°C, while the standard test, EN 374-3, is done at 23°C. The penetration time is therefore reduced by a factor of 3.

Eye protection

Wear safety glasses with side shields.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	
Colour	White
Odour	Characteristic
Odour threshold (ppm)	No data available.
pH	9,5
Viscosity (40°C)	No data available.
Density (g/cm ³)	No data available.
Phase changes	
Melting point (°C)	No data available.
Boiling point (°C)	No data available.
Vapour pressure	No data available.
Decomposition temperature (°C)	No data available.
Evaporation rate (n-butylacetate = 100)	No data available.
Data on fire and explosion hazards	
Flash point (°C)	No data available.

Ignition (°C) Auto flammability (°C) Explosion limits (% v/v) Explosive properties **Solubility** Solubility in water n-octanol/water coefficient **9.2. Other information**

Solubility in fat (g/L)

No data available. No data available. No data available. No data available.

Soluble No data available.

No data available.

SECTION 10: Stability and reactivity

- 10.1. Reactivity
 - No data available
- 10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

- **10.3. Possibility of hazardous reactions** Nothing special
- 10.4. Conditions to avoid
- Nothing special

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Substance: Sodium carbonate peroxide Species: Rat . Test: LD50 Route of exposure: Oral Result: >892 mg/kg Skin corrosion/irritation No data available. Serious eye damage/irritation Causes serious eye irritation. **Respiratory or skin sensitisation** No data available. Germ cell mutagenicity No data available. Carcinogenicity No data available. **Reproductive toxicity** No data available. **STOT-single exposure** No data available. **STOT-repeated exposure** No data available. Aspiration hazard No data available. Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

SECTION 12: Ecological information

12.1. Toxicity Substance: Sodium silicate Species: Fish Test: LC50 Duration: 96 h Result: 1108 mg/l			
Substance: Sodium silicate Species: Daphnia Test: EC50 Duration: 48 Result: 1700 mg/l			
12.2. Persistence and degrada	bility		
Substance Alcohols,C12-18, ethoxylated Sodium silicate Fatty Acid Metyl Ester, ethoxy	Biodegradability Yes Yes Yes	Test No data available No data available Modified OECD Screening Test	Result No data available No data available No data available
12.3. Bioaccumulative potentia	al		
Substance No data available.	Potential bioaccumulation	LogPow	BCF
12.4. Mobility in soil			
No data available			
 12.5. Results of PBT and vPvB This mixture/product does PBT and/or vPvB. 12.6. Other adverse effects 		nsidered to meet the criteria class	sifying them as
12.0. Utiler auverse effects			

Nothing special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

Waste

EWC code

Specific labelling

Contaminated packing

Contaminated packaging must be disposed of similarly to the product.

SECTION 14: Transport information

14.1 - 14.4

Not dangerous goods according to ADR, IATA and IMDG. ADR/RID

14.1. UN number	
14.2. UN proper shipping name	-
14.3. Transport hazard class(es)	
14.4. Packing group	
Notes	-
Tunnel restriction code	-
IMDG	
UN-no.	-
Proper Shipping Name	-
Class	-
PG*	-
EmS	-

MP**	-
Hazardous constituent	-
IATA/ICAO	
UN-no.	-
Proper Shipping Name	-
Class	-
PG*	-

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code No data available

(*) Packing group (**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application

Demands for specific education

Additional information

CLP classified by the calculation methodThe surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Seveso

Sources

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP). EC regulation 1907/2006 (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

- H272 May intensify fire; oxidiser.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

The full text of identified uses as mentioned in section 1

Additional label elements

Not applicable

Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP)

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The safety data sheet is validated by HH Date of last essential change (First cipher in SDS version) 2019-02-18(2.0) Date of last minor change (Last cipher in SDS version) 2019-02-18

> ALPHAOMEGA. Licens nr.:3618221589, 6.4.0.11 www.chymeia.com